JINTONG

More Value, More Innovation



PROFESSIONAL MANUFACTURER OF SELF-ADHESIVE MATERIALS

JINTONG



Welcome to HAIAN JINTONG

ABOUT US


Founded in 1987, HAIAN JINTONG Technology Co., Ltd. is a leading manufacturer specializing in adhesive label materials. The company operates three R&D centers and three state-of-the-art manufacturing bases, covering a total area of 300,000 square meters. With a workforce of 2,000 employees, including 100 skilled engineers dedicated to research and development, HAIAN JINTONG is at the forefront of innovation in the label industry.

The factory itself spans 200,000 square meters and is supported by a registered capital of 500 million yuan. Our advanced production capabilities enable us to produce 160 million square meters of label stock materials per month, ensuring we meet the diverse needs of our global clientele.

At HAIAN JINTONG, we focus on the complete lifecycle of label materials—from R&D and manufacturing to sales and customer service—offering high-quality solutions that cater to the evolving demands of the label and labeling industry.



JINTONG
More Value, More Innovation





State-of-the-Art Quality Assurance and R&D

At HAIAN JINTONG, we are committed to excellence in product quality and innovation. Our company is outfitted with a comprehensive range of testing and R&D equipment, including tension machines, holding machines, initial force testers, constant temperature ovens, R&D sample machines for small batch production, and an infrared online thickness gauge. Moreover, our rotary printing machine allows us to perform in-depth testing of printing and die-cutting processes, ensuring that we fully understand the materials' characteristics and can address any post-processing issues. This enables us to offer better practical services to our printing and die-cutting customers.




Core Competence of JINTONG






End-to-End Service Excellence:
We offer comprehensive, full-process services, covering every stage from project initiation and research and development to manufacturing and service integration. This includes meticulous pre-sale consultation and reliable after-sale support, ensuring a smooth and satisfying customer journey.

Innovative Independent R&D:
Our strong in-house R&D capabilities include expertise in product ID, mechanical design, software, hardware, and cloud-based solutions. Our innovations are rigorously tested in our dedicated laboratory and verified through partnerships with SGS for third-party testing, ensuring the highest standards of quality and reliability.





Precision-Driven Manufacturing□
Our closed-loop process uses advanced sample analysis, specialized proofing machines, and equipment to simulate customer labeling environments. High-speed die-cutting, printing, and labeling machines ensure quality, while real-time measurements and high-definition cameras detect defects. The entire process, from procurement to after-sales, is managed by our cloud-based ERP system, ensuring reliability and exceptional value for our customers.

Diverse Adhesive Solutions:
We offer a wide range of adhesive products, including water-based glue, oil-based glue, and hot melt adhesive, with viscosities ranging from 1g/L" to over 3kg/L". Our comprehensive portfolio of pressure-sensitive adhesive products provides our customers with a variety of options, ensuring that their specific needs are met with thoughtful service and exceptional quality.

Company Development History

JINTONG
More Value, More Innovation

1987: Establishment of Cangnan Jiafa Plastics Co., Ltd.

The company was founded in 1987 in Cangnan, Zhejiang Province, focusing on the sales of raw materials for labels. This marked the beginning of our journey in the label materials industry.

1990: Establishment of Wenzhou Jialian Co., Ltd.

In 1990, we expanded into manufacturing by setting up a factory in Wenzhou, Zhejiang Province. The company focused on producing label raw materials, laying the foundation for vertical integration in the label industry.

1999: Establishment of Shanghai Jinda Plastics Co., Ltd.

To cater to the growing demand for adhesive materials, we founded Shanghai Jinda Plastics Co., Ltd., specializing in the production of self-adhesive materials. This strategic move positioned us closer to the market in Shanghai and surrounding regions.

2006: Establishment of Hainan Jintong New Materials Co., Ltd.

In 2006, we expanded into high-tech materials by establishing Hainan Jintong New Materials Co., Ltd., which focuses on manufacturing electronic label materials and adhesive tape products.

2008: Establishment of Jiangsu Jinda Packaging Materials Technology Co., Ltd.

To enhance production capabilities and focus on eco-friendly solutions, we invested in six imported automated production lines. Jiangsu Jinda specializes in manufacturing environmentally sustainable label materials.

2010: Establishment of Shanghai Jinda Technology Co., Ltd.

Located in Shanghai's Jinshan District, this company focuses on the production and sales of offline materials, further diversifying our product portfolio.

2012: Establishment of Youfu Group (Hong Kong) Co., Ltd.

In 2012, we expanded internationally with the formation of Youfu Group (Hong Kong) Co., Ltd., marking our first step toward becoming a global enterprise.

2022: Establishment of Shanghai Jinyou Enterprise Headquarters

To centralize management and strategize for the future, we established Shanghai Jinyou Enterprise Headquarters, which serves as the core hub for our business operations.

2023: Establishment of Jiangsu Jinyou Medical Technology Co., Ltd.

In response to the growing healthcare market, we launched Jiangsu Jinyou Medical Technology Co., Ltd., focusing on the production of medical auxiliary materials.

2024: Establishment of the First Overseas Factory in Indonesia

In 2024, we took a significant step towards globalization by establishing our first overseas manufacturing facility in Indonesia, expanding our footprint in the international market.



JINTONG PRODUCTS

GOLDEN EFFCIENCY

BOND FUTURE



JINTONG

We emphasize a customer-oriented approach and dedicated service to achieve win-win solutions and common development for all parties involved. Choose JINTONG, for professional, efficient, and responsible adhesive solutions.

JINTONG
More Value, More Innovation

38 years
Self adhesive paper industry experience

90 acre
Total area of the factory owned

5000
Cooperative customers

150+
Import and export countries

1000+
Employees

5,000,000,000 sqm

30 High-Speed Lines

QUALITY
Quality first, supplying prime quality products to users, is our constant pursuit.
SPECIALTY
Germany equipment, global vision in cooperation, spirit of concentration, we do utmost to supply products ofexcellence and service.
INNOVATION
Nonstop upgrading, exploration of the unknown areas, constantly go beyond ourselves and doing our utmost to provide quality products and service to clients.
EFFICIENCE
We are users friendly, value the real needs, customized products to customers' unlimited satisfaction.

MIX
Paper from responsible sources
FSC® C212316
FSC
www.fsc.org

MH64156

Global Recycled Standard

ISO9001

ISO13485

ISO14001

JINYOU GROUP
Label & Packing.

JINDA
New choice,More value

KINGHON

HEAD OFFICE(SHANGHAI)
TEL:+86-021-66019988
+86-021-56015511
FACTORY(JIANGSU)
TEL:+86-0513-88768688
+86-13916011185

WhatsApp

Official Wechat

Skype

HAIAN JINTONG NEW MATERIAL TECHNOLOGY CO., LTD.



Cable Adhesive Labels

Cable adhesive labels, also known as cable stickers or self-adhesive cable labels, are used to mark and identify cables and wires. These labels are made from durable, weather-resistant materials such as polyester, vinyl, or nylon. They feature a self-adhesive backing, making them easy to apply by simply peeling off the backing paper and sticking the label directly onto the cable. Cable adhesive labels are commonly used in electrical, telecommunications, and networking applications to help organize and identify different cables quickly and efficiently.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		P型对粘线缆标 **P-type Cable Adhesive Labels**	
1	0411828	5.4cPP合成纸/JT18A-24XL/80g白格底 54umSyntheticPP/JT18A-24XL/80gW.G	
2	0411194	7.5cPP合成纸/JT18A-24XL/80g白格底 75umSyntheticPP/JT18A-24/80gW.G	
3	0406091	5c亮白PET(TC)/JT18A-24XL/60g白格底 50umBrightWhitePET(TC)/JT18A-24XL/60gW.G	
4	0406828	5c亮白PET(ATTC)/JT18A-24XL/80g白格底 50umBrightWhitePET(ATTC)/JT18A-24XL/80gW.G	
5	0406719	2.3c哑银PET(TC)/JT18A-22XL/80g白格底 23umMatteSilverPET(TC)/JT18A-22XL/80gW.G	
6	0406845	5c哑银PET(TC)/JT18A-24XL/80g白格底 50umMatteSilverPET(TC)/JT18A-24XL/80gW.G	
		蛇盘绕行型线缆标 **Snakelike Cable Adhesive Labels**	
11	0406047	7.5c哑银PET(AATC)/JT18H-38/140g全木浆黄底 75umMatteSilverPET(AATC)/JT18H-38/140gY.K	
12	0416824	7.5c哑银PET(AATC)/JT18H-38/80g白格底 75umMateSilverPET(AATC)/JT18H-38/80gW.G	
13	0406039	2.3c哑银PET(TC)/JT18H-22SXL/80g白格底 23umMatteSilverPET(TC)/JT18H-22SXL/80gW.G	
14	0414738	5.4cPP合成纸/H-SXL/60g白格底 54umSyntheticPP/H-SXL/60gW.G	
15	0414931	50um透明PP(TC)/JT18H-SXL/80g白格底 50umTransparentPP(TC)/JT18H-SXL/80g.W.G	
16	0415849	80um透明PE(无涂层)/H-XLS/80g白格底 80umTransparentPE(NTC)/H-XLS/80gW.G	



Household Appliance Adhesive Labels

Household appliance adhesive labels, or appliance stickers, are self-adhesive labels used on various home appliances for identification, branding, and safety information. These labels are typically made from durable materials like polyester or vinyl, designed to withstand exposure to heat, moisture, and wear. They often display important details such as the brand name, model number, serial number, and safety warnings. Household appliance adhesive labels are essential for providing users with necessary information and ensuring compliance with safety standards.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		耐高温电子标签 **High-temperature Electronic Labels**	
21	0406701	5c哑白PET(涂层)/JT18AG-25FD/100g网格底 50umMattePET(TC)/JT18AG-25FD/100gM.B	
22	0416847	7.5c哑银PET(AATC)/JT18AG/100g(方)网格底 75umMatteSilverPET(AATC)/JT18AG/100gM.B	
23	0416937	50um哑银PET(ATTC)/AG-21/100g网格底(菱) 50umMatteSilverPET(ATTC)/AG-21/100gM.B(Diamond)	
24	0406818	50um亮白PET(AATC)/JT18AG3C-20/80g白格底 50umBrightWhitePET(AATC)/JT18AG3C-20/80gW.G	
25	0404821	50um光面纯铝箔(TC)/JT18AG-AL/80g白格底 50umGlossyPureAluminumFoil(TC)/JT18H-AL/80gW.G	
	0489865	50#哑白PI格底 50#MattePI.W.G	
		家电标签 **Household Appliance Labels**	
41	0416809	5c亮白PET(AATC)/JT18DC-11/80g白格底-HX 50umBrightWhitePET(AATC)/JT18DC-11/80gW.G	
42	0406841	7.5c亮白PET(TC)/JT14D/80g白格底 75umBrightWhitePET(TC)/JT14D/80G W.G	
43	0416855	100um亮白PET(AATC)/JT7GL/80g白格底RE20 100umBrightWhitePET(AATC)/JT7GL/80gW.G.RE20	
44	0419661	5c透明PET(ATTC)/JT18DC/60g白格底-XH 50umTransparentPET(ATTC)/JT18DC/60gW.G	
45	0406750	透明PET5c(WCTC)/JT14D/80g白格底 50umTransparentPET(WCTC)/JT14D/80g.W.G	
46	0416925	透明PET7.5c(TC)/JT18DC/80g白格底 75umTransparentPET(TC)/JT18DC/80gW.G	
47	0416954	100um透明PET(涂层)/JT-7GL/80g白格底RE20 100umTransparentPET(TC)/JT-7GL/80gW.G RE20	



Medical Adhesive Labels

Medical adhesive labels, also known as medical stickers or self-adhesive medical labels, are used in healthcare settings for identification, tracking, and communication purposes. These labels are made from durable, non-toxic materials that can withstand various conditions, including sterilization, refrigeration, and exposure to chemicals. They are commonly used on medical devices, sample containers, patient wristbands, and medication packaging. Medical adhesive labels often include important information such as patient details, dosage instructions, barcodes, and expiration dates, playing a crucial role in ensuring patient safety and accurate record-keeping in medical environments.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		医用胶粘标签 Medical Adhesive Labels	
31	0402927	70g优光铜版(UP)JT18H/60g白格底 70gTestTubeMark/JT18H/60gW.G	
32	0411870	40um透明PP(TC)/JT18H-35/5cPET离型膜 40umTransparentPP(TC)/JT18H-35/50umPET.Liner	
33	0418649	30um透明PP(TC)/JT18H-33/80g高透白格底 30umTransparentPP(TC)/JT18H-33/80gW.G	
34	0414863	90um优质合成纸(TBC)/WFB-RYGW30/80g白格底RE20 90umHighQualitySyntheticPaper(TBC)/WFB-RYGW30/80gW.GRE20	
35	0418602	130umPP合成纸(加强)/R-16D/3.6cPET离型膜 130umSyntheticPP/R-16D/36umPET.Liner	



Alcoholic Beverage Labels

Alcoholic beverage labels use strong adhesive to ensure they stay on bottles, even in cold or wet conditions. Beverage labels, like those on soft drinks or juices, also use durable adhesive but are designed to resist moisture and handling while maintaining a clean appearance.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		酒类饮料标签 Alcoholic Beverage Labels	
81	0414890	5c透明BOPP(TC)/JT17D/3cPET离型膜 50umTransparentPP(TC)/JT17D/30umPET Liner	
82	0488022	☆透明PP50um/JT17D/3c透明PET底 50umTransparentPP(TC)/AB600/30umPET Liner	
83	0414995	☆透明PP60um/JT14D/3c透明PET底 60umTransparentPP(TC)/AB600/30umPET Liner	
84	0414901	7c透明BOPP(TC)/JT16D/3cPET离型膜 70umTransparentPP(TC)/JT16D/30umPET Liner	
85	0416914	2.3c透明PET(涂层)/JT16D/5cPET离型膜 23umTransparentPET(TC)/JT16D/50umPET Liner	
86	0414912	5c透明BOPP(TC)/JT16D/3.6cPET离型膜 50umTransparentBOPP(TC)/JT16D/36umPET Liner	
87	0418797	7.5cPP合成纸/RW15/3cPET离型膜 75umSyntheticPP/RW15/30umPET.Liner	
88	0418686	水洗亮银PP镀铝膜50um(TC)/JT09/3cPET离型膜 50umBrightSilverPP(TC)/JT09/30umPET Liner	
89	0418689	30um透明BOPP(TC)/JT17D/3cPET离型膜 30umTransparentBOPP(TC)/JT17D/30umPET Liner	
90	0415852	8c光白PE(无涂层)/AT900/3c透明PET离型膜 80umWhitePE(NTC)/AT900/30umPET Liner	
91	04021158	☆长鹤铜板80g/AT600/3c透明PET离型膜 SemiGlossPaper/AJ900/30umClearPET	
92	0417877	5c水洗素面镭射(TC)/JT18DC/3cPET离型膜 50umBrightSilverPP(TC)/JT18DC/30umPET Liner	
93	0418790	9.5cPP合成纸/26G/3cPET离型膜 95umSyntheticPP/R-G/30umPET Liner	
94	0406932	磨砂PET2.3c(涂层)/JT14D/3cPET离型膜 2.3cFrostedPET(TC)/JT14D/30umPET Liner	
95	0414774	5.4cPP合成纸/RY5A/5cPET离型膜 54umSyntheticPP/RY5A/50umPET Liner	
111	0418756	亮银PP镀铝膜50um(BC)/JT17D/3c透明PET底 50umMetslizedBopp/Acrylic/30umclearPet	
112	0418767	5c光银PP(TC)/AT500/3c透明PET底 50umLightSilverPP(TC)/AT500/30umPET Liner	
113	0489816	100um纯铝箔(涂层)/JT18H-35/5cPET离型膜 100umPureAluminumFoil(TC)/JT18H-35/50umPET Liner	
114	0418762	75um合成纸(L)/AT900/3cPET离型膜 75umSyntheticPP(L)/AT900/30umPET Liner	
	0418635	7c透明PP(TC)/JT18DC/80g网格底 70umTransparentPP(TC)/JT18DC/80gM.B	
121	0418601	PP合成纸7.5c/JLB-SN/原60g白格底/无气味 75umSyntheticPP/JLB-SN/60gW.G	
122	0414777	7.5cPP合成纸(BC)/DC-SN/60g白格底 75umSyntheticPP/DC-SN/60gW.G	
123	0411861	7.5cPP合成纸(JD)/JT14D/原60g白格底 75umSyntheticPP/JT14D/60gW.G	
131	0418669	40um透明可水洗标ET(TC)/JT17D/3c透明PET底 40umTransparentWashOff-ET(TC)/BEER-RW/30umPET Liner	
132	0418716	50um透明可水洗标ET(涂层)/JT17D/3c透明PET底 50umTransparentWashOff-ET(TC)/BEER-05RW/30umPET Liner	
133	0488022	☆透明PP50um/JT14D/3c透明PET底 50umClearPP/AB600/30umClearPET	



Removable Adhesive Labels

Removable adhesive labels are stickers that can be easily peeled off without leaving residue. Wet wipes with adhesive labels use a similar type of adhesive, allowing the label to be resealed multiple times.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		可去除不干胶标签 Removable Adhesive Labels	
151	0402806	铜版(APC)/RY5A/白底 80gSemiGlossyArtPaper(APC)/RY5A/60gW.G	
152	0402827	80g优质铜版(APC)/可移胶RY-Y01/60g白格底 80gSemiGlossyArtPaper(APC)/RY-Y01/60gW.G	
153	0402809	优质铜版80g(APC)/RY5A/60g白格底 80gSemiGlossyArt(APC)/RY5A/60gW.G	
154	0411820	7.5cPP合成纸(JD)/RY5A/80g白格底 75umSyntheticPP/RY5A/80gW.G	
155	0414899	7.5cPP合成纸/RY2A/60g白格底 75umSyntheticPP/RY2A/60gW.G	
156	0414894	5.4cPP合成纸/RY2A/60g白格底 54umSyntheticPP/RY2A/60gW.G	
157	0414843	5c透明BOPP(TC)/RY-2A/80g白格底 50umTransparentPP(TC)/RY-2A/80gW.G	
158	0406964	5c哑银PET(TC)/RY5L/80g白格底 50umMatteSilverPET(TC)/RY5L/80gW.G	
159	0406774	5c透明PET(AATC)/RY-Q1/5c透明PET底 50umTransparentPET(AATC)/RY-Q1/50umPET Liner	
160	0414992	7.5cPP合成纸/RY-Q1/80g白格底RE20 75umSyntheticPP/RY-Q1/80gW.G RE20	
191	0402830	80g优质铜版(APC)/RY-SJ/原80g白底 80gSemiGlossyArtPaper(APC)/RY-SJ/80gW.G	
192	0411816	50um透明PP(涂层)/RY-SJ/80g白格底 50umTransparentPP(TC)/RY-SJ/80gW.G	
193	0411286	85um哑面PP(PHD)/RY-SJ/80g白格底RE20 80umMattePP(PHD)/RY-SJ/80gW.GRE20	



Tamper-evident Labels

Tamper-evident stickers, also known as security labels, are adhesive labels designed to show clear evidence of tampering if someone tries to remove or alter them. These stickers typically leave a residue, break apart, or display a hidden message when peeled off, helping to ensure the authenticity of products and prevent unauthorized access.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		防伪标签 Tamper-evident Labels	
221	0401812	80g玻璃卡(HX)/JT18DC(黑胶)/95g全木浆黄底 80gCastCoatedPaper(HX)/JT18DC-Bla/95gY.K	
222	0402848	128g铜版/JT14D(黑胶)/原60g白格底 128gSemiGlossPaper/JT14D-Bla/60g W.G	
223	0402852	80g优质铜版/JT14D(黑胶)/原60g白格底 80ArtPaper/JT14D(BlackGlue)/60g W.G	
224	0402962	优质铜版80g/黑胶U5/60g白格底 80gSemiGlossyArtPaper/U5-BG/60gW.G	
231	0416017	VOID.50um哑银PET(TC)/JT14D/原80g白格底 50umMatteSilverPET-VOID(TC)/JT14D/80g W.G	
232	0416800	50um光银PET.VOID(TC)/JT14D/原80g白格底 50umBrightSilverPET-VOID(TC)/JT14D/80g W.G	



Special Labels

☆Clothing stickers Clothing stickers are adhesive labels or patches that can be applied to garments for decoration, branding, or identification. They're often made from durable materials that adhere well to fabric but can be removed without damaging the clothing.

☆Oil drum labels and auto parts stickers Oil drum labels are typically used to identify the type and specifications of the oil inside the drum. Auto parts stickers are used to label and identify various automotive parts. Both types are designed to be durable and resistant to elements like oil, grease, and high temperatures.

☆Digital printing stickers Such as those produced by HP, Epson, or Durst printers, are adhesive labels created using digital printing technology. This method allows for high-quality, full-color prints on various materials, making it ideal for custom designs, small runs, and fast production. These stickers are commonly used for branding, packaging, and promotional purposes.





产品参数
Product parameters

序号 No.	产品编号 Product NO.	名称 Product name	详情 Details
		特殊标签 Special Labels	
61	0489825	210g复合吊牌 210gCompositeTag	
62	0410850	220g三防热敏卡PET 220gThermalTopPETBoardingCard	
63	0489832	210um合成复合吊牌 210umSyntheticPPCompositeTag	
64	0414945	225um白色吊牌(TC) 225umWhiteTag(TC)	
65	0410849	230g热敏登机牌（三防） 230gThermalTopBoardingCard	
66	0402908	270g复合吊牌 270gCompositeTag	
67	0410822	优质热敏纸吊牌(100PET) ThermalTopTag(100PET)	
68	0489851	200um双面高温吊牌 200umDoubleSideTag-HighTemperature	
141	0414951	105um合成纯铝箔复合膜/U80/80g白格底 105umPPSyntheticPPComposite7umPureAluminumFoil/U80/80gW.G	
142		60um哑银PET（TC)/JT18AG-XL/80g白格底 60umMatteSilverPET(TC)/JT18AG-XL/80g白格底	
143		200um双面合成纸 200umSyntheticPP(Double-side)	
144	0414834	170um双面合成纸 170umSyntheticPP(Double-side)	
171	0401811	玻璃卡/CLOTH-M/原80g白底 80gCastCoatedPaper/CLOTH-M/95gW.K	
172	0414762	5.4合成纸/CLOTH-XL/60g白格底 54umSyntheticPP/CLOTH-XL/60gW.G	
173	0414953	54umPP合成纸/CLOTH-XL/80g白格底 54umSyntheticPP/CLOTH-XL/80gW.G	
174	0418609	60um透明PP(TC)/CLOTH-XL/80g白格底 60umTransparentPP(TC)/CLOTH-XL/80gW.G	
175	0419625	50um透明PET(TC)/CLOTH-26/60g白格底 50umTransparentPET(TC)/CLOTH-26/60gW.G	
176	0419604	1.6c透明PET(不涂层)/Cloth-X/95gYFY黄底 16umTransparentPET(NTC)/Cloth-X/95gY.G	
177	0416837	23um透明PET(TC)/CLOTH-XL/90g进口黄底 23umTransparentPET(TC)/CLOTH-XL/90gY.G	
201	0411700	85umPP合成(喷墨涂层)/JT14D/80g白格底 85umSynthesisPP(InkTC)/JT14D/80gW.G	
202	0411743	100umPP合成纸(喷墨专用)/JT14D/60g白格底 100umPPSyntheticPaper(Inkjet)/JT14D/60gW.G	
211	0414703	75umPP合成纸(数码涂层)/RY-16ST/140g高档白底 75umSyntheticPP(HP)/RY-16ST/140gW.G	
241	0411818	PP合成纸7.5c(JD)/JT18H-33AP/80g白格底 75umSyntheticPP/JT18H-33AP/80gW.G	
242	0419606	75um哑银PET(TC)/JT18H-AP/100g蓝格底 75umMatteSilverPET(TC)/JT18H-AP/100gB.G	
251	0417866	水洗素面镭射膜PP50um(涂层)/H-SG/60g白格底 50umLaserFilmPP(TC)/H-SG/60gW.G	
252	0411973	7.5cPP合成纸/JT18H28/80g白格底 75umSyntheticPP/JT18H28/80gW.G	
253	0411755	7.5c合成纸/JT18H-43/140g高档黄底 75umSyntheticPP/JT18H-43/140gY.K	
254	0418693	7.5cPP合成纸/JT18H-28/140g高档白底 75umPPSyntheticPP/JT18H-28/140gW.K	
255	0411792	PP合成纸7c(ET)JT18D-24TB/70g白格底 70umSyntheticPP(ET)JT18D-24TB/70gW.G	
256	0405925	120um光白PVC(TC)/18M9D-42/原100g国一双塑单硅白纸 120umGlossyWhitePVC(TC)/18M9D-42/138gW.K/S	
257	0414864	PP合成纸7.5c/JT18M/60g白格底 75umSyntheticPP/PE-Barrel/60gW.G	
258	0411122	PP合成纸7.5c/JT18DC-25/60g白格底 75umSsyntheticPP/PE-BARREL/60gW.G	
259	0415835	☆80um亮白PE(TC)/JT18DC/60g白格底 80umGlossWhitePE(TC)/JT18DC/60gW.G	
260	0415833	☆100um透明PE(TC)/JT18DC/80g白格底 100umTransparentPE(TC)/JT18DC/80gW.G	