涵 发 集 团
HANFA GROUP

WhatsApp

HANFA GROUP

E-mail:info@hanfagroup.com WhatsApp:+86 157 3712 7816

Phone：0086-371-55019187 0086-371-55019184 0086 17739786040

Address： NO.26 Dongqing Street, High-tech Zone, Zhengzhou City, Henan, China.

Web：WWW.HANFAMAICHUAN.COM




涵 发 集 团
HANFA GROUP

HANFA GROUP

PRODUCT PICTURE ALBUM



涵发集团
HANFA GROUP



Hanfa Group is a globally renowned multinational industrial conglomerate with a deep industry heritage. We are committed to providing exceptional supply and comprehensive services for intelligent packaging systems, drilling equipment, mining machinery, and engineering vehicles to our global customers. As a leading company in the industry, we have earned widespread recognition and trust in the international market through our leading product quality, innovative technical solutions, and a highly efficient, global service network.



Hanfa is dedicated to the research, development, manufacturing, sales, and service of food machinery and intelligent packaging machinery. Driven by technological innovation and customer service, we have developed a diverse product line encompassing five major categories: pillow packaging machines, vertical packaging machines, cartoning machines, complete packaging lines, and food processing machinery. These products are widely used in industries such as food, pharmaceuticals, household paper, chemicals, toys, and hardware accessories. Hanfa has obtained the EU CE certification. Today, Hanfa's packaging machinery is sold nationwide and exported to over 100 countries, including the United States, Spain, Belarus, Poland, the Democratic Republic of the Congo, India, and Iraq. We have earned 90% positive customer reviews.



E-mail:info@hanfagroup.com

CUSTOMER VISITS



THE EXHIBITION SCENE



Product quality is our life, strive to create high quality products, provide strong support in the competition for customers.

WhatsApp: +86 15737127816

PILLOW PACKAGING MACHINE、FOLDING MACHINE



MC-180 SERVO
Horizontal Packaging Machine
Packing speed：30~150 bags/min
Film size：90-400mm
Package length：60-500mm
Package width：35-160mm
Package Height:5-60mm



MC-280F SERVO
Intelligent pillow type packing machine
Packing speed：25~100 bags/min
Film size：200-600mm
Package length：125-500mm
Package width：250mm
Package Height：110/150mm

MC-280 SERVO
Intelligent pillow type packing machine
Packing speed：25~120 bags/min
Film size：200-600mm
Package length：120-500mm
Package width：200mm
Package Height:80/110mm



MC-601F SERVO
Intelligent pillow type packing machine
Packing speed：25~80 bags/min
Film size：600mm
Package length：120-600mm
Package width：250mm
Package Height：Max. 120mm





MC-350 SERVO
Intelligent pillow type packing machine
Packing speed：30~120 bags/min
Film size：90-400mm
Package length：120-500mm
Package width：35-140mm
Package Height:5-60mm



MC-801F SERVO
Intelligent pillow type packing machine
Packing speed：25~70 bags/min
Film size：900mm
Package length：150-600mm
Package width：350mm

MC-580 SERVO
Intelligent pillow type packing machine
Packing speed：30~350 bags/min
Film size：90-400mm
Package length：45-100mm
Package width：35-60mm



MC-500
Four-side Sealing Packaging Machine
Packing speed：40-100 bags/min
Film size：160-500mm
Package length：100-500mm
Package width：70-240mm
Package Height：1-10mm
Remarks：Single--channel





MC-602 SERVO
Intelligent pillow type packing machine
Packing speed：25~120 bags/min
Film size：600mm
Package length：120-600mm
Package width：250mm



MC-240C
Fully Automatic Bottom-locking Cartoning Machine(inset box)
Box Length: 70-240mm
Box Width: 50-200mm
Box Height: 20-90mm
Paper Quality: 250-400 grey, white card
Boxing Speed: 15-60 bags/min

MC-3000 SERVO
Intelligent pillow type packing machine
Packing speed：30~120 bags/min
Film size：90-400mm
Package length：120-500mm
Package width：35-160mm



MC-330A
Fully Automatic Cartoning Machine
Box Length: 150-330mm
Box Width: 80-200mm
Box Height: 40-110mm
Paper Quality: 250-400 grey, white card
Boxing Speed: 15-50 bags/min



E-mail:info@hanfagroup.com

VERTICAL PACKAGING MACHINE



MC-180Y
Vertical Packaging Machine
Packing speed：20-100 bag/min
Film size：100-320 mm
Package length：50-190mm
Package width：50-150mm
Weighing range：10-300g



HF-52B
Tilting Vertical Packing Machine
Packaging Speed: 30-50 bags/min
Bag Length: 80-350mm
Bag Width: 100-250mm
Weighing Range: Max. 2000ml
Maximum Film Width: 520mm

MC-200H
Reciprocating Vertical Packaging Machine
Packing speed：20-120 bag/min
Film size：200-420 mm
Package length：50-275mm
Package width：90-200mm



6-ROW
Vertical Granule Packaging Machine
Measuring method: Measuring cup volume
Bag length range: 30-150mm
Bag width range: 20-30mm
Maximum film width: 420mm
Packaging speed: 20-30 bags/minute/row





MC-300D
Vertical Packaging Machine
Packing speed：15-60 bag/min
Film size：420-620 mm
Package length：80-400mm
Package width：200-300mm



HF-18
Filter Paper Inner And Outer Tea Bag Packaging Machine
Packaging capacity：1-8g
Packaging size of the inner bag：55-80*47-70mm
Outer bag packaging size：75-100*80-90mm
pacgaging spped：30-45bags/min
Label size:160mm

MC-450
Vertical Packaging Machine
Packaging speed: 15-65 bags/min
Film Width: 380-850 mm
Bag Length: 100-500 mm
Bag Width: 175-410 mm



SEMI-AUTOMATIC
Powder Packaging Machine
Weighing capacity: 3-4 bags/min
Weighing range: 15-50 kg/bag
Conveyor belt length: 2 meters
Sealing machine type: Wire sealer
Bag type: Woven bag, kraft paper bag





MC-1250
Vertical Packaging Machine
Width of packing film：620～1200mm
Max.bag making width：290～580mm
Max.bag making Length：150～800mm
Packaging speed：5～20 bag/min



HF-320
2 Heads Micro-Scale Vertical Packing Machine
Film width: 50-320mm
Bag width: 20-150mm
Bag length: Once time max.150mm
Packing speed: 1-100 bags/min

MC-TS52
Four-side Ironing Vertical Packaging Machine
Packaging speed：50bags/min
Front width：70-180mm
Side width：40-100mm
Edge seal width：5-10mm
length：100-350mm



HF-160Y
LiquidVertical Packing Machine
Box Length: 70-240mm
Box Width: 50-200mm
Box Height: Hopper capacity: 30L
Film width: Max.320mm
Bag width: 20-150mm
Bag Length: 30-200mm
Measurement range: Max.500ml



WhatsApp: +86 15737127816

POUCH FEEDING MACHINE



HFGD180-6
premade bag packing machine

Packaging speed: ≤ 60 packs/minute
Packaging specification length: 100-500mm
Packaging specification width: 80-180mm
Workstation: 6 workstations
Packaging form: Prefabricated bags (flat bags, self-supporting bags, etc.)
Dimensions: 1560mm × 1150mm × 1080mm



HFGD210-8
premade bag packing machine

Packaging speed: ≤ 80 packs/minute
Packaging specifications: length 100-500mm * width 90-210mm
Workstation: 8 workstations
Packaging materials: single-layer PE, PE composite film, paper film, and various other composite films



HFGD260-8
premade bag packing machine

Packaging speed: ≤ 70 packs/minute
Packaging specifications: length 100-500mm, width 130-260mm
Workstation: 8 workstations
Packaging form: Prefabricated bags (flat bags, standing bags, zippered bags, tote bags, M bags, etc.)

HFGD300-8
premade bag packing machine

Packaging speed: ≤ 65 packs/minute
Packaging specifications: length 100-500mm, width 160-300mm
Workstation: 8 workstations
Packaging form: Prefabricated bags (flat bags, standing bags, zippered bags, tote bags, M bags, etc.)





HFCZK210-0810
Vacuum bag packaging machine

Packaging speed: 15-55 bags/min
Packaging specifications: Length: 120-300 mm, Width: 120-210 mm
Workstation: Bag feeding: 8 workstations - Vacuum pumping: 10 workstations
Packaging materials: single-layer PE, PE composite film, nylon, aluminum foil, paper film, and various other composite films
Dimensions: 2410 × 1860 × 1730 mm

HFCZK260-0810
Vacuum bag packaging machine

Packaging speed: 15-35 bags/min
Packaging specifications: length: 160-350 mm, width: 160-260 mm
Workstation: Bag feeding: 8 workstations - Vacuum pumping: 10 workstations
Packaging materials: single-layer PE, PE composite film, nylon, aluminum foil, paper film, and various other composite films
Dimensions: 2710 × 2180 × 1770mm



PAPER CUP PRODUCTION LINE

FLOW DIAGRAM

Laminated Paper



Flexographic Printing Machine (with Collection Table)



Paper Cup Fan



Paper Cup Making Machine





Finished Paper Cup

HF-120
paper cup making machine

Capacity：80-100 pcs/min
Raw materials single and double PE coating paper
Bottom diameter：40-70mm
Height：50-120mm
Upper diameter：60-90mm





HF-150
paper bowl making machine

Capacity：80-100 pcs/min
Raw materials single and double PE coating paper
Bottom diameter：60-135mm
Height：30-100mm
Upper diameter：50-150mm

HFRY-520
flexographic printing machine

Printing speed：55m-80/min
Printing color：4-8color（customizable）
Maximum Printing width：520mm
Feed width：530mm
Maximum unwinding diameter：600mm



FOOD MACHINERY



HF-Q800
Dicing Machine

Yield: 500-800 kg/h
Cutting size: 3-20 mm
Power supply: 380V three-phase
Dimensions: 70*80*130 cm




STERILIZATION POT

Technical Specifications
HF-35LD：35L,φ318×450mm
HF-50LD：50L,φ340×550mm
HF-75LD：75L,φ400×600mm
HF-100LD：100L,φ440×650mm
HF-120LD：120L,φ480×660mm
HF-150LD：150L,φ510×740mm

HF-GC1215
Vacuum Enema Machine

Filling tube: Φ12/15MM
Dimensions: 680*610*1750MM
Yield: Approximately 2800KG/H
Voltage: 380V/50HZ
Power: 3.8KW





HF200/HF300
Can making machine

Height(мм)：50-290
Round Can Diameter(мм)：40-200/100-300
Production Speed:25-50 cans/minute, adjustable based on can shape.
Can Shapes:Round, square, oval, et



HF-JR500
Vertical meat grinder

Yield:1200kg/h
Voltage:380V
Size：500*800*1000mm



HF-A
series Fully automatic intelligent linear liquid filling machine

Number of filling heads：12/6
Production capacity (bottles/hour)：2000/1000
Dimensions (Host mm)：2000×1200×2200
Applicable bottle height(мм)：100-500 adjustable

PEELING, PITTING, AND JUICING ALL-IN-ONE MACHINE

Screw diameter: Φ125mm
Rotation speed: Crusher 1000 rpm, Screw juicer 380 rpm
Filter screen gap: 0.6mm
Motor power: Crusher: 1.5KW, Screw juicer: 2.2KW





DUMPLING MACHINE

capacity：200 - 245 pcs/min / 150 - 180 pcs/min / 210 - 220： pcs/min
power supply：380V50Hz/60HZ
power：13.39KW / 13.39KW / 12.24KW
dimension：2920x2830x2365mm
weight：1450kg

OIL PRESS

Rated power（W）:3830
Press capacity(KG/Hour：40-60KG/H
Packing weight（KG）：126KG
Machine size(cm)：600*600*1160



HONEY FILLING LINE



filling machine

capping machine






labeling machine



Finished product



E-mail:info@hanfagroup.com
WhatsApp: +86 15737127816

涵发集团 HANFA GROUP

Vertical packaging machine/bag feeding packaging machine complete system solution

Installation effect diagram of the vertical packaging machine



Installation effect drawing of bag-in-box packaging machine










Weight selection | Electronic Scale | Four head combined scale | Z Type Elevator | Finished Product Conveyer | Working Platform

Filled Biscuit Sorting and Packaging System


The system automates the sorting and packaging of various biscuits directly from the cooling line, enabling flexible multi-piece packs and optional creaming.



Model : (Cream) Biscuit Sorting and Packaging System
Packing Speed : 30-500 bags/min × 2
Dimensions : 9500 × 4500 × 1300 mm
Total Power : 2.5 KW × 2
Power Type : 220V 50HZ



High-Speed Dumpling Production and Packaging Line Solution



Capacity：200-245 pcs/min / 150-180 pcs/min / 210-220 pcs/min
Power Supply：380V 50Hz/60Hz
Power：13.39kW / 13.39kW / 12.24kW
Air Source：≥0.6MPa
Dimensions：2920×2830×2365 mm
Weight：1450 kg
Dumpling Weight：14-16g, 16-18g, 18-20g, 20-22g, 22-23g, 25-26g, 22g (seven pleats)



French fries and potato chips production line

This production line is a new type of potato chips and french fries production line independently developed and researched by our company. It is a high-level production line with international standards. This production line is made of SUS304 stainless steel and controlled by PLC electrical equipment. It has high technical content, is safe and efficient. The bearings are all imported stainless steel bearings, and the electrical equipment and other components are of imported brand products. Its technical level is leading in China.





E-mail:info@hanfagroup.com

WhatsApp: +86 15737127816