



乐清市朗齐尔电器有限公司

邮 编：325604
 传 真：86(577)62737671
 电 话：86(577)62737672 62737670
 网 址：Http://www.langir.com
 地 址：浙江省乐清市柳市镇龙河东路10号
 电子邮件：langir@langir.com

Yueqing Langir Electric Co., Ltd.

Fax : 86(577)62737671
 Tel : 86(577)62737672 62737670
 Http: //www.langir.com
 Mail: langir@langir.com
 Add: No.10, Longhe East Road, Liushi, Yueqing,
 Zhejiang, China 325604



朗齐尔电器版权所有

Copyright Langir Electric All Right Reserved

免责声明：本目录所列产品的外观、颜色、参数仅供参考，以朗齐尔电器公司发布的各类产品目录为准。

参数仅供参考，并以朗齐尔电器公司发布的实物为准。
 朗齐尔电器公司保留修改或取消本图册相关参数的权利。
 如有疑问，请联系销售代表

Disclaimer: The appearance of the products listed on this catalogue, color, parameters are for reference only, issued a kind of Langir Electric Company shall prevail. Langir Electric Company reserves the right to modify or cancel the relevant parameters of this catalogue does not advance notice. If in doubt, please contact the sales representative.

防破坏开关
 Anti vandal switch

塑料压电开关
 Plastic piezo switch

键盘
 Keypads

信号灯
 Pilot lamp

压电开关
 Piezo switch

电容式开关
 Capacitive switch

电路保护
 Circuit protection



乐清市朗齐尔电器有限公司

邮编: 325604
传真: 86(577)62737671
电话: 86(577)62737672 62737670
网址: Http://www.langir.com
地址: 浙江省乐清市柳市镇龙河东路10号
电子邮件: langir@langir.com

Yueqing Langir Electric Co., Ltd.

Fax: 86(577)62737671
Tel: 86(577)62737672 62737670
Http: //www.langir.com
Mail: langir@langir.com
Add: No.10, Longhe East Road, Liushi, Yueqing,
Zhejiang, China 325604

PRODUCT MANUAL

- | 防破坏开关
Anti vandal switch
- | 塑料压电开关
Plastic piezo switch
- | 键盘
Keypads
- | 信号灯
Pilot lamp
- | 压电开关
Piezo switch
- | 电容式开关
Capacitive switch
- | 电路保护
Circuit protection

朗齐尔电器版权所有
Copyright Langir Electric All Right Reserved

免责声明: 本目录所列产品的外观、颜色、参数仅供参考, 以朗齐尔电器公司发布的各类产品目录为准。

参数仅供参考, 并以朗齐尔电器公司发布的实物为准。
朗齐尔电器公司保留修改或取消本图册相关参数的权利。
如有疑问, 请联系销售代表

Disclaimer: The appearance of the products listed on this catalogue, color, parameters are for reference only, issued a kind of Langir Electric Company shall prevail. Langir Electric Company reserves the right to modify or cancel the relevant parameters of this catalogue does not advance notice. If in doubt, please contact the sales representative.



COMPANY PROFILE

公司简介

用心研发 严格保证品质

Dedicated to Research and Development, Strict Quality Assurance



行业领先

从事按钮开关和直流断路器研发
Engaged in the research and development of push button switches and DC circuit breakers

- ▶ 乐清市朗齐尔电器有限公司是一家专业从事按钮开关和直流断路器研发、设计、生产和销售的企业。朗齐尔产品经过精心设计，可提供卓越的防温度波动、防潮、防海水、防尘和防腐蚀保护。

Yueqing Langir Electric Co., Ltd. is a specialized enterprise dedicated to the development, design, manufacturing, and distribution of push button switches and DC breakers. Langir products are engineered to provide superior protection against temperature fluctuations, humidity, seawater, dust, and corrosion.

专利认证

获得多项专利和国际管理体系认证
Obtained multiple patents and international management system certifications

- ▶ 我们拥有多项专利，并成功通过ROHS、REACH、CE、TUV及相应IEC、EN、UL等标准的严格测试，获得IP65、IP67、IP68防水等级认证。此外，我们建立了全面的标准管理体系，并拥有 1S09001 和 1S014001 国际管理体系认证。

We boast numerous patents and have successfully passed rigorous tests including ROHS, REACH, CE, TUV and corresponding IEC, EN and UL standards and obtained IP65, IP67, IP68 waterproof grade certifications. Additionally, we have established comprehensive standard management systems and hold 1S09001 and 1S014001 international management system certifications.

16+

深耕行业16+年
16+ years experience in this field

- ▶ 凭借16+年的行业经验，我们在定制、样品开发和设计服务方面表现出色。我们经验丰富的团队在产品开发的各个阶段为客户提供专家指导。

Drawing from 16+ years of industry experience, we excel in customization, sample development, and design services. Our seasoned team offers expert guidance to clients across all stages of product development.

- ▶ 在朗齐尔，我们致力于与新老客户建立更紧密的合作关系，以有效满足他们的各种需求。


At Langir, we are committed to fostering closer collaborations with both new and existing clients to effectively address their diverse requirements.



APPLICATIONS MARKETS

应用、市场

- 游艇控制装置 Yacht Control Device
 - 工业控制 Industrial Control
 - 音频/视频 Audio/Video
 - 厨房 Kitchen
 - 停车场汽车控制 Parking Lot Car Control
 - 公共汽车 Bus
 - 铁路 Railway
-
- 防御 Defense
 - 信息亭/自动售货机 Kiosks / Vending
 - 电子医疗 Electronic Healthcare
 - 电梯 Elevator
 - 小家电 Small Home Appliances
 - 门禁控制 Access Control
 - 咖啡机 Coffee Machine



电梯
Elevator



信息亭/自动售货机
Kiosks / Vending



电子医疗
Electronic Healthcare



工业控制
Industrial Control



厨房
Kitchen



游艇控制装置
Yacht Control Device



型号 : V12 系列
功能 : 自复 1NO(一常开)
材料 : 不锈钢、黄铜镀镍、黑色锌合金
头部按键: 红/绿/黄/橙/蓝/白/黑
防护等级: IP67
开关额定值: 2A/48VDC

Model: V12 Series
Function: Momentary 1NO
Material: Stainless steel, nickel plated brass, zinc-alloy black color
Actuator: R/G/Y/O/B/W/BK
Protection: IP67
Switch rating: 2A/48VDC



型号 : V16 系列
功能 : 自复常开或常闭
材料 : 不锈钢、黄铜镀金或镀镍、阳极氧化铝
针脚 (2.8x0.5) 或接线柱
防护等级: IP67
开关额定值: 2A/48VDC

Model: V16 Series
Function: Momentary NO or NC
Material: Stainless steel, gold or nickel plated brass, anodized aluminum
Solder lug(2.8X0.5) & Screw
Protection: IP67
Switch rating: 2A/48VDC



型号 : V19 系列
功能 : 自复常开或常闭
头部按键: 平头、高头、圆头
防护等级: IP67
开关额定值: 2A/48VDC

Model: V19 Series
Function: Momentary NO or NC
Material: Stainless steel, gold or nickel plated brass, anodized aluminum
Actuator: Flat, High, Domed
Solder lug(2.8X0.5) & Screw
Protection: IP67
Switch rating: 2A/48VDC



型号 : L19A 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢、阳极氧化铝
发光颜色: 白/黄/蓝/绿/橙/红/绿/蓝
带灯方式: 点带灯、环形带灯、电源背光符号
防护等级: IP67
开关额定值: 5A/250VAC

Model: L19A Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel, Anodized aluminum
Led color: W/Y/B/G/O/RGB
Dot or ring illumination, power backlit symbol
Protection: IP67
Switch rating: 5A/250VAC



型号 : LS19 系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
发光颜色: 白/黄/蓝/绿/红/橙
带灯方式: 点带灯、环形带灯、电源背光符号
防护等级: IP67
开关额定值: 2A/36VDC

Model: LS19 Series
Function: Momentary 1NO
Material: Stainless steel
Led color: W/Y/B/G/R/O
Dot or ring illumination, power backlit symbol
Protection: IP67
Switch rating: 2A/36VDC



型号 : L19M 短行程系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
发光颜色: 白/黄/蓝/绿/红/橙/红/绿/蓝
带灯方式: 点带灯、环形带灯、电源背光符号
防护等级: IP67
开关额定值: 50mA/24VDC

Model: L19M Micro-trip Series
Function: Momentary 1NO
Material: Stainless steel
Led color: W/Y/B/G/R/O/RGB
Dot or ring illumination, power backlit symbol
IProtection: IP67
Switch rating: 50mA/24VDC



型号 : VS19 系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢、黄铜镀镍、阳极氧化铝
头部按键: 平头、高头、圆头
防护等级: IP67
开关额定值: 2A/48VDC

Model: VS19 Series
Function: Momentary 1NO
Material: Stainless steel, nickel plated brass anodized aluminum
Actuator: Flat, High
Protection: IP67
Switch rating: 2A/48VDC



型号 : V22 系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
头部按键: 平头、高头、圆头
防护等级: IP67
开关额定值: 2A/48VDC

Model: V22 Series
Function: Momentary 1NO
Material: Stainless steel
Actuator: Flat, High, Domed
Solder lug(2.8x0.5) & Screw
Protection: IP67
Switch rating: 2A/48VDC



型号 : L12 系列
功能 : 自复或自锁
材料 : 不锈钢、黄铜镀镍、阳极氧化铝
发光颜色: 白/红/橙/绿/蓝/黄
带灯方式: 点带灯或环形带灯
防护等级: IP67
开关额定值: 2A/36VDC

Model: L12 Series
Function: Momentary or latching
Material: Stainless steel, nickel plated brass anodized aluminum
Led color: W/R/O/G/B/Y
Dot or ring illumination
Protection: IP67
Switch rating: 2A/36VDC



型号 : L19B 大电流系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢
发光颜色: 红/绿/黄/橙/蓝/白
防护等级: IP67
开关额定值: 21A/250VAC, 0.6A/125VDC 0.3A/250VDC

Model: L19B Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel
Led color: R/G/Y/O/B/W
Protection: IP67
Switch rating: 21A/250VAC, 0.6A/125VDC 0.3A/250VDC



型号 : L19Y 大电流系列
功能 : 自复或自锁
材料 : 不锈钢、阳极氧化铝
发光颜色: 白/黄/蓝/绿/红/橙/红/绿/红/蓝
防护等级: IP67
开关额定值: 21A/24VDC

Model: L19Y Series
Function: Momentary or latching
Material: Stainless steel, anodized aluminum
Led color: W/Y/B/G/R/O/RGB/RB
Protection: IP67
Switch rating: 21A/24VDC



型号 : L19D/L22D 大电流系列
功能 : 自复或自锁
材料 : 不锈钢, 阳极氧化铝
发光颜色: 白/红/绿/蓝/黄/黄/双色
带灯方式: 环形带灯、电源背光符号、定制符号
防护等级: IP67
开关额定值: 10A-20A/250VAC

Model: L19D/L22D Series
Function: Momentary or latching
Material: Stainless steel, anodized aluminum
Led color: W/R/B/G/Y/Bi-color
Ring, power backlit symbol, customized symbol
Protection: IP67
Switch rating: 10A, 15A, 20A/250VAC



型号 : L16 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢、镀镍黄铜、阳极氧化铝
带灯方式: 点带灯、环形带灯
防护等级: IP67
开关额定值: 3A/250VAC

Model: L16 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel, nickel plated brass anodized aluminum
Dot or ring illumination
Protection: IP67
Switch rating: 3A/250VAC



型号 : LS16 系列
功能 : 自复 1NO(一常开)
材料 : 不锈钢、黄铜镀镍、阳极氧化铝
发光颜色: 红/绿/黄/橙/蓝/白/双色/三色
带灯方式: 点带灯或环形带灯
开关额定值: 2A/36VDC

Model: LS16 Series
Function: Momentary 1NO
Material: Stainless steel, nickel plated brass, anodized aluminum
Led color: R/G/Y/O/B/W/RGB
Dot or ring illumination
Single color, dual color, tri-color
Switch rating: 2A/36VDC



型号 : L19 系列
功能 : 自复或自锁 1NO1NC(一常开一常闭)
材料 : 不锈钢、阳极氧化铝
发光颜色: 白/黄/蓝/绿/红/橙
带灯方式: 点带灯、环形带灯
防护等级: IP67
开关额定值: 5A/250VAC

Model: L19 Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel, anodized aluminum
Led color: W/Y/B/G/R/O
Dot or ring illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : L22 系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢、阳极氧化铝
发光颜色: 红/绿/黄/橙/蓝/白
防护等级: IP67
开关额定值: 5A/250VAC

Model: L22 Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel, anodized aluminum
Led color: R/G/Y/O/B/W
Protection: IP67
Switch rating: 5A/250VAC



型号 : L22A 系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢
发光颜色: 红/绿/黄/橙/蓝/白
防护等级: IP67
开关额定值: 5A/250VAC

Model: L22A Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel
Led color: R/G/Y/O/B/W
Protection: IP67
Switch rating: 5A/250VAC



型号 : L22M 短行程系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
发光颜色: 白/黄/蓝/绿/红/橙
防护等级: IP67
开关额定值: 50mA/24VDC

Model: L22M Micro-trip Series
Function: Momentary 1NO
Material: Stainless steel
Led color: W/Y/B/G/R/O
Dot or ring illumination
Protection: IP67
Switch rating: 50mA/24VDC



型号 : L22B 大电流系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢
发光颜色: 红/绿/黄/橙/蓝/白
防护等级: IP67
开关额定值: 21A/250VAC, 0.6A/125VDC
0.3A/250VDC
Model: L22B Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel
Led color: R/G/Y/O/B/W
Dot or ring illumination
Protection: IP67
Switch rating: 21A/250VAC, 0.6A/125VDC
0.3A/250VDC



型号 : L25 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢、阳极氧化铝
发光颜色: 红/绿/黄/橙/蓝/白
带灯方式: 点带灯、环形带灯、电源符号透光
防护等级: IP67
开关额定值: 5A/250VAC
Model: L25 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel, anodized aluminum
Led color: R/G/Y/O/B/W
Dot, ring, power symbol illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : L28 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢
发光颜色: 白/红/橙/绿/蓝/黄
带灯方式: 点带灯、环形带灯
防护等级: IP67
开关额定值: 5A/250VAC
Model: L28 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel
Led color: W/R/O/G/B/Y/Bi-color
Dot, ring illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : L220 短行程系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
发光颜色: 红/绿/黄/蓝/白
防护等级: IP67
开关额定值: 50mA/24VDC
Model: L220 Micro-trip Series
Function: Momentary 1NO
Material: Stainless steel
Solder lug(2.8X0.8) & Screw
Led color: R/G/Y/B/W
Protection: IP67
Switch rating: 50mA/24VDC



型号 : L19S/L22S 方形系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢
发光颜色: 白/红/橙/绿/蓝/黄/双色
防护等级: IP67
开关额定值: 5A/250VAC
Model: L19S/L22S Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel
Led color: W/R/O/G/B/Y/RG/RB/RY/OB/RGB
Protection: IP67
Switch rating: 5A/250VAC



型号 : L12U/L16U/L19U/L22U/L25U/L30U/L35U
L40U 超短系列
功能 : 自复 1NO (一常开)
材料 : 不锈钢
发光颜色: 红/绿/黄/蓝/白
防护等级: IP67
开关额定值: 200mA/24VDC
Model: L12U/L16U/L19U/L22U/L25U/L30U/L35U
L40U Ultra Short Series
Function: Momentary 1NO
Material: Stainless steel
Led color: R/G/Y/B/W
Protection: IP67
Switch rating: 50mA/24VDC



型号 : L30 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢
发光颜色: 白/红/橙/绿/蓝/黄/双色
带灯方式: 点带灯、环形带灯、电源符号透光
防护等级: IP67
开关额定值: 5A/250VAC
Model: L30 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel
Led color: W/R/O/G/B/Y/Bi-color
Dot, ring, power symbol illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : L35 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢
发光颜色: 白/红/橙/绿/蓝/黄/双色
带灯方式: 环形带灯
防护等级: IP67
开关额定值: 5A/250VAC
Model: L35 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel
Led color: W/R/O/G/B/Y/Bi-color
Ring illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : L40 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢
发光颜色: 白/红/橙/绿/蓝/黄/双色
带灯方式: 点带灯、环形带灯
防护等级: IP67
开关额定值: 5A/250VAC
Model: L40 Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel
Led color: W/R/O/G/B/Y/Bi-color
Ring illumination
Protection: IP67
Switch rating: 5A/250VAC



型号 : ES16/ES19/ES22 急停系列
功能 : 1NO1NC 2NO2NC
材料 : 不锈钢、黄铜镀镍
防护等级: IP67
开关额定值: 5A/250VAC

Model: ES16/ES19/ES22 Emergency Stop Switch
Function: 1NO1NC 2NO2NC
Material: Stainless steel, nickel plated brass
Solder lug(2.8X0.5)
Protection: IP67
Switch rating: 5A/250VAC



型号 : LT1-19mm/LT2-22mm 拨动式开关
材料 : 不锈钢, 黑色阳极氧化铝
带灯方式: 环形带灯
防护等级: IP67
开关额定值: 10A/250VAC

Model: LT1-19mm/LT2-22mm Toggle Switch
Switch rating: 10A/250VAC
Function: 1 pole off-on, 1 pole off-(on)
Material: Stainless steel, black anodized
Ring illuminated
Protection: IP67



型号 : PI 系列指示灯
材料 : 不锈钢, 黄铜镀镍
孔径 : 6mm/8mm/10mm/12mm/14mm/16mm/19mm
发光颜色: 白/黄/蓝/绿/红
Model: PI Series Indicator Lamp
Material: Momentary 1NO
Hole dia: 6mm/8mm/10mm/12mm/14mm/16mm/19mm
Wire-leads 150mm long or request
Material: Stainless steel, nickel plated brass
Led color: W/Y/B/G/R



型号 : L16T 系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢、黄铜镀镍、阳极氧化铝
发光颜色: 红/绿/黄/蓝/白/三色
带灯方式: 点带灯、环形带灯、电源符号透光
防护等级: IP67
开关额定值: 3A/250VAC
Model: L16T Series
Function: Momentary or latching 1NO1NC
Material: SUS 304, nickel plated brass, anodized aluminum
Led color: R/G/Y/B/W/RGB
Dot, ring, power symbol illumination
Protection: IP67
Switch rating: 3A/250VAC



型号 : L19T 系列
功能 : 自复或自锁 1NO1NC (一常开一常闭)
材料 : 不锈钢、阳极氧化铝
发光颜色: 红/绿/黄/蓝/白/红绿蓝
带灯方式: 点带灯、环形带灯、背光标签符号
防护等级: IP67
开关额定值: 3A/250VAC
Model: L19T Series
Function: Momentary or latching 1NO1NC
Material: Stainless steel, anodized aluminum
Led color: R/G/Y/B/W/RGB
Dot, ring illumination, backlight label kit
Protection: IP67
Switch rating: 3A/250VAC



型号 : L22T 系列
功能 : 自复或自锁 1NO1NC 2NO2NC
材料 : 不锈钢、阳极氧化铝
发光颜色: 红/绿/黄/蓝/白/红绿蓝
带灯方式: 点带灯、环形带灯、背光标签符号
开关额定值: 3A/250VAC
Model: L22T Series
Function: Momentary or latching 1NO1NC 2NO2NC
Material: Stainless steel, nickel plated brass
anodized aluminum
Led color: R/G/Y/O/B/W/RGB
Dot or ring illumination, backlight label kit
Single color, dual color, tri-color
Switch rating: 3A/250VAC



型号 : PV 系列指示灯
材料 : 不锈钢、黄铜镀镍
孔径 : 8mm/12mm
发光颜色: 白/黄/蓝/绿/红

Model: PV Series Indicator Lamp
Hole dia: 8mm/12mm
Material: Stainless steel, nickel plated brass
Led color: W/Y/B/G/R



型号 : LF19 系列蜂鸣器
材料 : 不锈钢
发光颜色: 红/绿/黄/蓝/白
带灯方式: 不带灯、环形带灯
发光电压: 12V和24V

Model: LF19 Series Buzzer
Material: Stainless steel
Led color: R/G/Y/B/W
Non, ring illumination
Led Voltage: 12V & 24V
Screw terminal



型号 : PZ12 系列压电开关
功能 : 自复 NO (常开)
材料 : 不锈钢、阳极氧化铝
带灯方式: 不带灯
防护等级: IP68 和 IP69K
开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC

Model: PZ12 Series Piezo Switch
Rating: 200mA/24VAC/VDC & 1A/24VAC/DC
Function: Momentary NO
Material: Stainless steel, anodized aluminum
Non illumination
IP68 & IP69K



型号 : PZ16 系列压电开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 发光颜色: 红/绿/黄/橙/蓝/白
 带灯方式: 不带灯, 点带灯或环形带灯
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PZ16 Series Piezo Switch
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC
 Function: Momentary & latching
 Material: Stainless steel, anodized aluminum
 Non, dot, ring illuminated
 Flying leads & Cable
 Non, dot or ring illuminated
 IP68 & IP69K



型号 : PZ19 系列压电开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 带灯方式: 不带灯, 点带灯或环形带灯
 防护等级: IP68 和 IP69
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PZ19 Series Piezo Switch
 Function: Momentary & latching
 Material: Stainless steel, anodized aluminum
 Non, dot, ring illuminated
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : PZ22 系列压电开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 带灯方式: 不带灯, 点带灯或环形带灯
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PZ22 Series Piezo Switch
 Function: Momentary & latching
 Material: Stainless steel, anodized aluminum
 Non, dot, ring illuminated
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : CP22 系列电容式开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 发光颜色: 蓝/绿/红/黄/白/双色
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: CP22 Series Capacitive Switch
 Function: Momentary or latching
 Material: Stainless steel, anodized aluminum
 Led color: B/G/R/Y/W/Bi-color
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : CP25 系列电容式开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 发光颜色: 蓝/绿/红/黄/白/双色
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: CP25 Series Capacitive Switch
 Function: Momentary or latching
 Material: Stainless steel, anodized aluminum
 Led color: B/G/R/Y/W/Bi-color
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : 键盘式压电开关
 材料 : 铝, 不锈钢 316L
 防护等级: IP68
 按键编号: 34/43/44/45/54
 开关额定值: 200mA/24VDC
 Model: Piezo Keypads
 Key no: 34/43/44/45/54
 Material: Aluminum, Stainless Steel 316L
 IP68
 Switch rating: 200mA/24VDC



型号 : PZ25 系列压电开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 带灯方式: 不带灯, 点带灯或环形带灯
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PZ25 Series Piezo Switch
 Function: Momentary & latching
 Material: Stainless steel, anodized aluminum
 Non, dot, ring illuminated
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : PZ30 系列压电开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 带灯方式: 不带灯, 点带灯或环形带灯
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PZ30 Series Piezo Switch
 Function: Momentary & latching
 Material: Stainless steel, anodized aluminum
 Non, dot, ring illuminated
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : PP22 系列塑料压电开关
 功能 : 自复
 材料 : 不锈钢, 阳极氧化铝
 发光颜色: 蓝/绿/红/黄/白/双色
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: PP22 Series Plastic Piezo Switch
 Function: Momentary
 Material: Stainless steel, anodized aluminum
 Led color: B/G/R/Y/W/Bi-color
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : 1P DC MCB
 电流 : 1A-63A
 工作电压: 额定 250VDC
 绝缘电压: 1000VDC
 冲击电压: 10kV

Model: 1P DC MCB
 Current: 1A-63A
 Operating voltage: 250VDC Rated
 Insulation voltage: 1000VDC
 Impulse voltage: 10kV



型号 : 2P DC MCB
 电流 : 1A-63A
 工作电压: 额定 500VDC
 绝缘电压: 1000VDC
 冲击电压: 10kV

Model: 2P DC MCB
 Current: 1A-63A
 Operating voltage: 500VDC Rated
 Insulation voltage: 1000VDC
 Impulse voltage: 10kV



型号 : 3P DC MCB
 电流 : 1A-63A
 工作电压: 额定 750VDC
 绝缘电压: 1000VDC
 冲击电压: 10kV

Model: 3P DC MCB
 Current: 1A-63A
 Operating voltage: 750VDC Rated
 Insulation voltage: 1000VDC
 Impulse voltage: 10kV



型号 : CP16S 超短电容开关
 功能 : 自复
 材料 : 不锈钢
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: CP16S Super Short Capacitive Switch
 Function: Momentary
 Material: Stainless steel
 None illuminated
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : CP16 系列电容式开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 发光颜色: 蓝/绿/红/黄/白/双色
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/VDC & 1A/24VAC/DC
 Model: CP16 Series Capacitive Switch
 Function: Momentary or latching
 Material: Stainless steel, anodized aluminum
 Led color: B/G/R/Y/W/Bi-color
 IP68 & IP69K
 Rating: 200mA/24VAC/VDC & 1A/24VAC/DC



型号 : CP19 系列电容式开关
 功能 : 自复或自锁
 材料 : 不锈钢、阳极氧化铝
 发光颜色: 蓝/绿/红/黄/白/双色
 防护等级: IP68 和 IP69K
 开关额定值: 200mA/24VAC/DC & 1A/24VAC/DC
 Model: CP19 Series Capacitive Switch
 Function: Momentary or latching
 Material: Stainless steel, anodized aluminum
 Led color: B/G/R/Y/W/Bi-color
 IP68 & IP69K
 Rating: 200mA/24VAC/DC & 1A/24VAC/DC



型号 : 4P DC MCB
 电流 : 1A-63A
 工作电压: 额定 1000VDC
 绝缘电压: 1000VDC
 冲击电压: 10kV

Model: 4P DC MCB
 Current: 1A-63A
 Operating voltage: 1000VDC Rated
 Insulation voltage: 1000VDC
 Impulse voltage: 10kV



型号 : 尾插配件
 Model: Harness with 15mm or 30mm wire length



型号 : 尾插配件
 Model: Harness with 15mm or 30mm wire length